



Padlocks

Brady's high quality padlocks are ideally suited for lockout tagout applications.

- 18 Find the best padlock for your needs
- 20 Padlock comparison
- 22 Padlock personalisation methods
- 23 Brady SafeKey Lockout Padlocks
- 25 SafeKey nylon padlocks
- 27 Traditional Nylon Padlocks
- 28 SafeKey Nylon Compact Padlocks
- 30 Traditional Nylon Compact Padlocks
- 31 Traditional Nylon Compact Cable Padlocks
- 32 Safety Security Padlocks
- 32 Brass Padlocks
- 33 SafeKey aluminium padlocks
- 34 Traditional Full Aluminium Padlocks
- 35 Traditional Aluminium Compact Padlocks
- 36 Laminated steel padlocks
- 36 Ultimate Security Padlocks
- 37 Fully insulated padlocks
- 37 Brass Padlocks with stainless steel shackle
- 37 Brass Padlocks with hardened steel shackle
- 37 Combination padlock
- 38 Safety lock & tag carrier
- 38 Labels and tags for padlocks
- 39 Padlock lubricant
- 39 Cable & chain



Find the best padlock for your needs

With so many options available, choosing the right padlock for your job can be confusing. Let us help you get the padlock that fits your needs.

Body material options



Nylon

Non-conductive

Ideal for electrical applications and enclosures

Easy to carry

Lightweight with ribbed design for easy gripping

Key retaining security*

Key releases only on lock closure

Most common

Preferred for most indoor lockout applications



Aluminium

Long-lasting

Anodised, corrosion-resistant finish provides extended life

Increased security

Durable construction for better tamper resistance

Corrosion resistant

Resilient against harsh environments, such as food, oil and chemical

Versatile usage

Great for indoor and outdoor use



Steel

Heavy-duty

Laminated steel body withstands severe physical abuse

Maximum corrosion protection

Individual coated steel plates protects against extreme corrosion

Key retaining security


Key releases only on lock closure

Highest durability

High performance in extreme outdoor and harsh environments

*Not all nylon padlocks have a key retaining feature

Body size options



Compact

Material availability

Nylon, aluminium

Ideal usage

Everyday applications, small spaces and circuit breakers



Standard

Material availability

Nylon, aluminium, steel

Ideal usage

Fits wide variety of devices - electrical, valve and cable



Long body

Material availability

Nylon only

Ideal usage

Displaying additional information and languages on body label

Shackle material options



Steel shackle

Vertical Clearance Options

20, 38, 50, 76 mm

Body Material Availability

Nylon, aluminium, steel

Ideal Usage

Most common with extra durability for tough environments



Plastic shackle

Vertical Clearance Options

25, 38 mm

Body Material Availability

Nylon only

Ideal Usage

Non-conductive for working on electrical circuits/panels



Aluminium shackle

Vertical Clearance Options

25, 38, 40, 50, 75 mm

Body Material Availability

Nylon only

Ideal Usage

Ideal for electrical applications and small spaces



Cable shackle

Vertical Clearance Options

106.68 & 203.20 mm

Body Material Availability

Nylon only

Ideal Usage

Versatile, multi-purpose solution, angle and twist to fit tight spaces

Body colour options

Body material

Nylon


Aluminium

Steel

Available colours



Shackle size options

								
Shackle size	20 mm	25 mm	38 mm	40 mm	50 mm	75 mm	106.68 mm	203.20 mm
Shackle material	Steel only	Plastic, aluminium, steel	Plastic, aluminium, steel	Aluminium	Aluminium, steel	Steel only	Sheathed metal	Sheathed metal
Body size	Standard only	Compact only	Standard, Compact, Long	Standard, Compact	Standard, Compact	Standard, Compact	Compact only	Compact only
Body material	Steel only	Nylon, aluminium	Nylon, aluminium	Aluminium only	Steel only	Nylon, aluminium, steel	Nylon only	Nylon only

Padlock types



SafeKey Lockout Padlocks

Advanced Key Security

Patent-pending locking mechanism includes six precision steel tumbler blades

More Unique Key Possibilities

Ideal for large organisations using hundreds to thousands of locks

Easy Operation

Extra smooth key insertion and removal – even when wearing gloves!

Long-lasting

Linear, low-friction lock mechanism helps maintain key integrity



Traditional Padlocks

Classic Padlock Design

Traditional jagged key design and pin tumbler lock mechanism

Fewer Key Combinations

Ideal for small work groups and facilities with fewer energy isolation points

Multi-purpose Solution

Flexible cable locks available for tight spaces and simultaneous lockout points

More Material Options

Available in non-conductive nylon, aluminum and laminated steel lock bodies

Keying options

Standard options



Keyed Different (KD) – Each lock is opened by its own unique key. Perfect for simple lockout applications and a manageable number of energy isolation points.




Keyed Alike (KA) – Each lock in the group can be opened with the same key. Easy to find the right key, reduces number of keys needed to carry. Ideal for individuals or trades responsible for multiple machines or isolation points.

Custom options



Master Keyed (MK) – Each grouping of locks (whether keyed alike or different) can be opened with a master key. Useful for larger, complex systems when supervisory access may be required



Grand Master Keyed (GMK) – The grand master key can open all locks grouped into two or more master keyed systems. Useful for larger, complex systems where supervisory or managerial access to all locks in the facility is needed.

Padlock comparison



	Traditional Nylon Compact aluminium shackle	SafeKey Nylon Compact plastic shackle	SafeKey Nylon Compact aluminium shackle	Traditional Nylon Compact Cable	Traditional Nylon steel shackle	SafeKey Nylon steel shackle	Traditional Full Nylon	SafeKey Nylon plastic shackle
Key mechanism	Pin Tumbler	Linear Blade	Linear Blade	Pin Tumbler	Pin Tumbler	Linear Blade	Pin Tumbler	Linear Blade
Shackle								
Stainless steel						38/76		
Hardened steel					38 (75*)			
Nylon (polymer plastic)		25					38	38
Aluminium	25/38/50/75		25/38		38 (75*)			
Brass								
Nylon encased steel								
PVC encased steel cable				106.68/203.20				
Diameter	4.72	4.72	4.72	4.72	6.35	6.35	6.35	6.35
Colours								
Red	•	•	•	•	•	•	•	•
Yellow	•	•	•	•	•	•	•	•
Black	•	•	•	•	•	•	•	•
Blue	•	•	•	•	•	•	•	•
Green	•	•	•	•	•	•	•	•
Orange	•	•	•	•	•	•	•	•
Grey (silver)	•			•	•		•	
White	•	•	•	•	•	•	•	•
Brown	•	•	•	•	•	•	•	•
Purple	•	•	•	•	•	•	•	•
Key possibilities								
KD	•	•	•	•	•	•	•	•
KA	•	•	•	•	•	•	•	•
MK	•	•	•	•	•	•	•	•
GMK	•	•	•	•	•	•	•	•
Key chart	•	•	•	•	•	•	•	•
# keys for KD	1	1	1	1	1	1	1	1
# keys for KA/MK/GMK	2	1	1	2	2	1	2	1
Key-retaining	•		•	•	•	•	•	
# of pins/blades	5	6	6	5	6	6	6	6
Engraving/Printing								
Front	•	•	•	•	•	•	•	•
Back	•	•	•	•	•	•	•	•
Side	•	•	•	•		•		•
Bottom								
Key	•	•		•	•	•	•	•
PrintFace		•	•			•		•
Labels supplied	EN/FR	EN/FR/ES	EN/FR/ES	EN/FR	EN/FR	EN/FR/ES	EN/FR	EN/FR/ES
Can be combined with								
Traditional Nylon Compact	•			•	•		•	
SafeKey Nylon Compact		•	•			•		•
Traditional Nylon Compact - Cable	•			•	•		•	
Traditional Nylon	•			•			•	
SafeKey Nylon		•	•			•		•
Traditional Full Nylon	•			•	•			
SafeKey Nylon		•	•			•		•
Traditional Nylon - Long Body	•			•	•		•	
Traditional Aluminium Compact	•			•	•		•	
Traditional Full Aluminium	•			•	•		•	
SafeKey Aluminium		•	•			•		•

*Only on request **Non key retaining on request



Traditional Long Body	Traditional Aluminium Compact aluminium shackle	Traditional Full Aluminium	SafeKey Aluminium steel shackle	Safety Security	Steel	Brass
Pin Tumbler	Pin Tumbler	Pin Tumbler	Linear Blade	Pin Tumbler	Pin Tumbler	Pin Tumbler
20/38/51 (75*)						
38*						
38*	25/40/50/75	25/40/75	38/76			21
				38/75		
6.35	4.75	6.35	6.35	6.50	6.35	6.35
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•	•	•	•	•	•	•
•*	•*	•	•	•*		•
•*				•	•	
•*	•*	•	•	•*	•	
•*	•*	•	•	•*	•	
•	•	•	•	•	•	(on request)
•	•	•	•	•	•	•
•	•	•	•	•	•	
•	•	•	•	•	•	
1	1	2	2	1	1	2
2	2	2	1	1	2	2
•	•	•*		•**	•	•*
6	5	6	6	6	5	4
•	•	•	•	•		
•	•	•	•	•		
•	•	•	•	•		
•	•	•	•	•	•	•
•	•	•	•	•	•	•
EN/FR, EN/ES				EN/FR, EN/ES		
•	•	•				
•	•	•	•			
•	•	•				
•	•	•	•			
•	•	•	•			
•	•	•				
•	•	•	•			
•	•		•			

ULTIMATE



By printing (PrintFace)*

Print a face or any other personalisation in high resolution directly on the padlock, because safety is personal.

The print resists abrasion, chemicals and UV-radiation and can be applied both to the front and back of the padlock.



*PrintFace is exclusively available on SafeKey padlocks with custom keying or standard keying option.

ADVANCED



By engraving

Brady offers reliable laser engraving for all our Lockout/Tagout padlocks. Ideal in abrasive or heavy industrial contexts.

STANDARD



By labelling

Use the labels included with your Lockout/Tagout padlocks. It can include the name of its owner and a phone number or any other information.

Find out everything you need to know about personalising your padlocks on www.bradyeurope.com/padlockpersonalisation

Made like no other

In the last 50 years we've seen a manufacturing technology boom matched only by the industrial revolution. In fact, industrial maintenance employment has grown by more than 20% in the last decade.* With these advances, lockout needs have grown. Choose SafeKey Lockout Padlocks, exclusively from Brady, to lock in to ultimate key precision and advanced key security for years to come.

With this innovatively designed padlock you get up to **700% more unique key possibilities than a standard safety padlock**, without sacrificing a secure lockout. It's all in the forward-thinking design of the locking mechanism and unique key blade that gives you more precision and control in your lockout program. With that level of precision, you're covered from your simple to highly complex lockout needs. You also get:

- easy operation with extra smooth key insertion and removal – even when wearing gloves!
- fast identification with the colour-matched key and lock body
- years of use with the low-friction locking mechanism that helps maintain key integrity
- excellent durability in every industrial environment




9 different colour options available

*U.S. Bureau of Labor Statistics.
(2019, January 22). Occupational Employment Statistics. <https://www.bls.gov/oes/tables.htm>

See the difference in the details

Product innovations are only as good as the benefits they provide. See the difference you get with the patent-pending SafeKey Lockout Padlocks:



Traditional safety padlocks

- Pin tumbler lock mechanism
- Jagged key design
- Up to 15,000 key codes

See the new SafeKey Lockout Padlocks in action

Watch the video on:

www.bradyeurope.com/SafeKey



SafeKey nylon padlocks with steel shackle

- Lightweight non-sparking nylon body with a durable steel shackle
- Non-conductive locking mechanism
- Ribbed design for safe handling
- Ideal for general lockout applications
- Key-retaining lock feature

1 key supplied for each padlock. Custom keying options available.
Supplied with padlock labels in English, French and Spanish.
Engraving on front, back, sides & key.



Consult the technical
datasheet LOTO-101 on
bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 38.10 mm / KA - Keyed Alike / pack of 3									
150294	● Black	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150317	● Blue	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150228	● Brown	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150341	● Green	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150364	● Orange	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150229	● Purple	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150271	● Red	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150340	○ White	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
150246	● Yellow	38.10	6.35	20.32	33.02	19.05	45.72	38.10	3
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 1									
150234	● Black	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150251	● Blue	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150275	● Brown	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150368	● Green	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150320	● Orange	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150250	● Purple	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150321	● Red	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150367	○ White	38.10	6.35	20.32	33.02	19.05	45.72	38.10	1
150343	● Yellow	38.10	6.35	20.32	33.02	19.05	45.72	38.00	1
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 6									
150224	● Black	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150316	● Blue	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150269	● Brown	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150337	● Green	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150336	● Orange	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150362	● Purple	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150270	● Red	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150292	○ White	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
150225	● Yellow	38.10	6.35	20.32	33.02	19.05	45.72	38.10	6
Shackle Clearance 76.20 mm / KD - Keyed Differently / pack of 1									
150274	● Black	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150249	● Blue	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150247	● Brown	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150319	● Green	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150248	● Orange	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150233	● Purple	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150357	● Red	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150295	○ White	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1
150296	● Yellow	76.20	6.35	20.32	33.02	19.05	45.72	38.10	1

All these padlocks meet the ATEX Equipment Directive.



PrintFace

Print a face or any other personalisation in high resolution directly on the padlock, because safety is personal.



SafeKey nylon padlocks with plastic shackle

- Lightweight non-sparking nylon body with polymer plastic shackle that's non-conductive and non-sparking
- Non-conductive locking mechanism
- Ribbed design for safe handling
- Ideal for electrical applications or general lockout applications

1 key supplied for each padlock. Custom keying options available. Supplied with padlock labels in English, French and Spanish. Engraving on front, back, sides & key.

Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 38.10 mm / KA - Keyed Alike / pack of 3									
150315	● Black	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150268	● Blue	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150314	● Brown	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150223	● Green	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150222	● Orange	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150353	● Purple	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150291	● Red	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150267	○ White	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
150290	● Yellow	38.10	6.35	20.32	33.02	19.05	46.00	38.00	3
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 1									
150231	● Black	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150366	● Blue	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150318	● Brown	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150273	● Green	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150230	● Orange	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150272	● Purple	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150342	● Red	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150365	○ White	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
150232	● Yellow	38.10	6.35	20.32	33.02	19.05	46.00	38.00	1
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 6									
150351	● Black	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150221	● Blue	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150309	● Brown	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150334	● Green	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150310	● Orange	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150350	● Purple	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150311	● Red	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150308	○ White	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6
150265	● Yellow	38.10	6.35	20.32	33.02	19.05	46.00	38.00	6

All these padlocks meet the ATEX Equipment Directive



Traditional Nylon Padlocks

With a variety of different shackle sizes, materials and colours!

- Comes standard with hardened steel shackle for enhanced security or with nylon shackle to cut off the electrical current from the shackle to the key
- Aluminium shackle available on request for a significant reduction in weight
- Available in 10 different colours
- Key retaining system (Key won't release until padlock shackle is correctly closed)
- Optional laser engraving*

Locks are supplied keyed different. 1 key supplied with each padlock.

Custom keying options available.

Supplied with padlock labels in English/French for Standard & Nylon and English/French and English/Spanish for Long Body.



Traditional Nylon Padlocks with hardened steel shackle



Consult the technical datasheet LOTO-8 on bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
051353	● Black	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
051344	● Blue	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
813636	● Brown	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
051345	● Green	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
814113	● Grey	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
051347	● Orange	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
813637	● Purple	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
051339	● Red	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
813638	○ White	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6
051346	● Yellow	38.10	6.35	20.32	33.02	20.83	44.50	38.10	6

*Optional Engraving on front & back

Traditional Nylon Padlocks with nylon shackle



Consult the technical datasheet LOTO-6 on bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
813595	● Black	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813593	● Blue	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813639	● Brown	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813597	● Green	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
814154	● Grey	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813598	● Orange	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813640	● Purple	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813594**	● Red	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813641	○ White	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6
813596	● Yellow	38.10	6.35	20.32	33.02	20.83	44.45	38.10	6

*Optional Engraving on front & back

**These products meet the ATEX Equipment Directive.

Traditional Nylon Long Body Padlocks with hardened steel shackle



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
834463	● Black	38.10	6.35	20.32	33.02	20.83	76.20	38.10	6
834462	● Blue	38.10	6.35	20.32	33.02	20.83	76.20	38.10	6
834466	● Green	38.10	6.35	20.32	33.02	20.83	76.20	38.10	6
834467	● Orange	38.10	6.35	20.32	33.02	20.83	76.20	38.10	6
834464	● Red	38.10	6.35	20.32	33.02	20.83	76.20	38.10	6
834465	● Yellow	38.10	6.35	20.32	33.02	20.83	76.20	38.10	6

Long Body version: Purple, Brown, Grey and White colours available upon request for large volumes.

*Optional Engraving on front, back & sides



SafeKey Nylon Compact Padlocks with plastic shackle




- Extremely compact and lightweight design
- Non-conductive and non-sparking nylon body and polymer shackle
- Non-conductive locking mechanism
- Ideal for electrical applications and small spaces
- Ribbed design for safe handling
- For electrical contractors, maintenance and electricians

1 key supplied for each padlock. Custom keying options available.
Supplied with padlock labels in English, French and Spanish.
Engraving on front, back, sides & key.



Consult the technical
datasheet LOTO-100 on
bradyeurope.com/tds

This compact safety padlock is perfect for small space applications and where lightweight and easy to carry locks are needed. For more durable applications consider the SafeKey nylon compact padlocks with aluminium shackle.



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 25.40 mm / KA - Keyed Alike / pack of 3									
150193	● Black	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150192	● Blue	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150196	● Brown	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150191	● Green	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150194	● Orange	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150195	● Purple	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150189	● Red	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150197	○ White	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
150190	● Yellow	25.40	4.72	17.78	25.91	19.05	43.00	32.00	3
Shackle Clearance 25.40 mm / KD - Keyed Differently / pack of 1									
150184	● Black	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150183	● Blue	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150187	● Brown	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150182	● Green	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150185	● Orange	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150186	● Purple	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150180	● Red	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150188	○ White	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
150181	● Yellow	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
Shackle Clearance 25.40 mm / KD - Keyed Differently / pack of 6									
150211	● Black	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150210	● Blue	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150214	● Brown	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150209	● Green	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150212	● Orange	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150213	● Purple	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150207	● Red	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150215	○ White	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
150208	● Yellow	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6

All these padlocks meet the ATEX Equipment Directive





PrintFace

Print a face or any other personalisation in high resolution directly on the padlock, because safety is personal.

SafeKey nylon compact padlocks with aluminium shackle

- Extremely compact and lightweight design
- Non-conductive and non-sparking nylon body
- Non-conductive locking mechanism
- Ideal for electrical applications and small spaces
- Ribbed design for safe handling
- For electrical contractors, maintenance and electricians

1 key supplied for each padlock. Custom keying options available.
Supplied with padlock labels in English, French and Spanish.
Engraving on front, back, sides & key.



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 25.40 mm / KD - Keyed Differently / pack of 1									
152159	● Black	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152158	● Blue	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152162	● Brown	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152157	● Green	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152160	● Orange	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152161	● Purple	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152155	● Red	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152163	○ White	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
152156	● Yellow	25.40	4.72	17.78	25.91	19.05	43.00	32.00	1
Shackle Clearance 25.40 mm / KD - Keyed Differently / pack of 6									
152168	● Black	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152167	● Blue	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152171	● Brown	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152166	● Green	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152169	● Orange	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152170	● Purple	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152164	● Red	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152172	○ White	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
152165	● Yellow	25.40	4.72	17.78	25.91	19.05	43.00	32.00	6
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 1									
151659	● Black	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151658	● Blue	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151662	● Brown	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151657	● Green	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151660	● Orange	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151661	● Purple	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151655	● Red	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151663	○ White	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
151656	● Yellow	38.10	4.72	17.78	25.91	19.05	43.00	32.00	1
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 6									
151668	● Black	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151667	● Blue	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151671	● Brown	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151666	● Green	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151669	● Orange	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151670	● Purple	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151664	● Red	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151672	○ White	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6
151665	● Yellow	38.10	4.72	17.78	25.91	19.05	43.00	32.00	6

All these padlocks meet the ATEX Equipment Directive

Traditional Nylon Compact Padlocks



Traditional Nylon Compact Padlocks

Compact & Lightweight padlocks - easy to use for effective energy control!

- Non-conductive nylon body and aluminium shackle
- Minimum weight for padlock is only 40 g
- Key retaining system
- Maximum Operation Temperature 120 °C
- Colour coding allows for easy identification of Lockout teams during maintenance programmes
- Small shackle diameter ideal for lockout ready equipment with 5 mm holes
- Optional Laser Engraving on front, back & sides

Locks are supplied keyed different. 1 key supplied with each padlock.

Custom keying options available. Supplied with Padlock labels in English/French.

The compact safety padlock is perfect for small space applications and where lightweight and easy to carry locks are needed. For even more durable applications, please refer to Brady's range of padlocks with 6.50 mm diam shackles for more durability.



Consult the technical datasheet LOTO-9 on bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 25.40 mm									
814115	● Black	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814114	● Blue	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814120	● Brown	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814118	● Green	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814123	● Grey	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814119	● Orange	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814121	● Purple	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814116*	● Red	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814122	○ White	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
814117	● Yellow	25.40	4.72	17.00	25.91	16.00	35.00	32.00	6
Shackle Clearance 38.10 mm									
814125	● Black	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814124	● Blue	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814130	● Brown	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814128	● Green	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814133	● Grey	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814129	● Orange	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814131	● Purple	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814126*	● Red	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814132	○ White	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
814127	● Yellow	38.10	4.72	17.00	25.91	16.00	35.00	32.00	6
Shackle Clearance 50.80 mm									
814135	● Black	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814134	● Blue	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814140	● Brown	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814138	● Green	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814143	● Grey	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814139	● Orange	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814141	● Purple	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814136*	● Red	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814142	○ White	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
814137	● Yellow	50.80	4.72	17.00	25.91	16.00	35.00	32.00	6
Shackle Clearance 76.20 mm									
814145	● Black	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814144	● Blue	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814150	● Brown	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814148	● Green	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814153	● Grey	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814149	● Orange	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814151	● Purple	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814146*	● Red	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814152	○ White	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6
814147	● Yellow	76.20	4.72	17.00	25.91	16.00	35.00	32.00	6

*This product meets the ATEX Equipment Directive

Traditional Nylon Compact Cable Padlocks

Compact & Lightweight padlocks - easy to use for effective energy control!

- Non-conductive nylon body and PVC encased steel cable
- Minimum weight for padlock is only 40 g
- Key retaining system
- Maximum Operation Temperature 120 °C
- Small cable diameter ideal for lockout ready equipment with 5 mm holes close to each other
- Optional Laser Engraving on front, back & sides

Locks are supplied keyed different or keyed alike. 1 key supplied with each padlock.
Custom keying options available. Supplied with Padlock labels in English/French.



Consult the technical
datasheet LOTO-77 on
bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Cable length 200 mm									
KA - Keyed Alike									
146128	Red	106.68	4.72	17.50	25.91	16.00	35.00	32.00	6
146129	Yellow	106.68	4.72	17.50	25.91	16.00	35.00	32.00	6
146130	Blue	106.68	4.72	17.50	25.91	16.00	35.00	32.00	6
146131	Green	106.68	4.72	17.50	25.91	16.00	35.00	32.00	6
195946	Black	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195947	Brown	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195948	Grey	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195949	Orange	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195950	Purple	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195951	White	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
KD - Keyed Differently									
146120	Red	106.68	4.72	17.50	25.91	16.00	35.00	32.00	1
146121	Yellow	106.68	4.72	17.50	25.91	16.00	35.00	32.00	1
146122	Blue	106.68	4.72	17.50	25.91	16.00	35.00	32.00	1
146123	Green	106.68	4.72	17.50	25.91	16.00	35.00	32.00	1
195934	Black	106.68	4.72	17.50	26.00	16.00	35.00	32.00	1
195935	Brown	106.68	4.72	17.50	26.00	16.00	35.00	32.00	1
195936	Grey	106.68	4.72	17.50	26.00	16.00	35.00	32.00	1
195937	Orange	106.68	4.72	17.50	26.00	16.00	35.00	32.00	1
195938	Purple	106.68	4.72	17.50	26.00	16.00	35.00	32.00	1
195939	White	106.68	4.72	17.50	26.00	16.00	35.00	32.00	1
195972	Red	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195973	Yellow	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195974	Blue	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195975	Green	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195980	Black	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195981	Brown	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195982	Grey	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195983	Orange	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195984	Purple	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
195985	White	106.68	4.72	17.50	26.00	16.00	35.00	32.00	6
Cable length 400 mm									
KA - Keyed Alike									
146132	Red	203.20	4.72	17.50	25.91	16.00	35.00	32.00	6
146133	Yellow	203.20	4.72	17.50	25.91	16.00	35.00	32.00	6
146134	Blue	203.20	4.72	17.50	25.91	16.00	35.00	32.00	6
146135	Green	203.20	4.72	17.50	25.91	16.00	35.00	32.00	6
195952	Black	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195953	Brown	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195954	Grey	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195955	Orange	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195956	Purple	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195957	White	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
KD - Keyed Differently									
146124	Red	203.20	4.72	17.50	25.91	16.00	35.00	32.00	1
146125	Yellow	203.20	4.72	17.50	25.91	16.00	35.00	32.00	1
146126	Blue	203.20	4.72	17.50	25.91	16.00	35.00	32.00	1
146127	Green	203.20	4.72	17.50	25.91	16.00	35.00	32.00	1
195940	Black	203.20	4.72	17.50	26.00	16.00	35.00	32.00	1
195941	Brown	203.20	4.72	17.50	26.00	16.00	35.00	32.00	1
195942	Grey	203.20	4.72	17.50	26.00	16.00	35.00	32.00	1
195943	Orange	203.20	4.72	17.50	26.00	16.00	35.00	32.00	1
195944	Purple	203.20	4.72	17.50	26.00	16.00	35.00	32.00	1
195945	White	203.20	4.72	17.50	26.00	16.00	35.00	32.00	1
195976	Red	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195977	Yellow	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195978	Blue	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195979	Green	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195986	Black	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195987	Brown	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195988	Grey	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195989	Orange	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195990	Purple	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6
195991	White	203.20	4.72	17.50	26.00	16.00	35.00	32.00	6



Consult the technical datasheet LOTO-73 on bradyeurope.com/tds

Safety Security Padlocks


Nylon encased aluminium body with nylon encased steel shackle

- Solid aluminium core with steel shackle for best physical strength
- Body and shackle insulated against electric shock
- NANO PROTECT™ shackle for superior corrosion resistance
- Intrinsically safe
- Automatic locking for user convenience
- Compact and lightweight
- High precision 6-pin cylinder for better tamper-resistance
- Long Body version available on request (bilingual labelling)
- Key retaining system (Key won't release until padlock shackle is correctly closed, non-key retaining available upon request)
- Optional Engraving on front, back & sides

Locks are supplied keyed different. 1 key supplied with each padlock.


Custom keying options available.

Supplied with Padlock labels in English/French/Spanish.



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 38 mm									
834469	● Black	38.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834468	● Blue	38.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834472	● Green	38.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834473	● Orange	38.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834470	● Red	38.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834471	● Yellow	38.00	6.50	19.00	32.00	20.00	45.50	40.00	6
Shackle Clearance 75 mm									
834475	● Black	75.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834474	● Blue	75.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834478	● Green	75.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834479	● Orange	75.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834476	● Red	75.00	6.50	19.00	32.00	20.00	45.50	40.00	6
834477	● Yellow	75.00	6.50	19.00	32.00	20.00	45.50	40.00	6

Purple, Brown, Grey and White colours available upon request for large volumes.



Consult the technical datasheet LOTO-13 on bradyeurope.com/tds


Brass Padlocks

Locks that will never rust

- Solid brass body and shackle
- Spark resistant ideal for use in flammable environments
- Corrosion resistant
- 6-pin cylinder offers more unique key cuts, better tamper-resistance
- Locks protected by coloured vinyl sheaths
- Non-key retaining, key retaining upon request (Key won't release until padlock shackle is correctly closed)
- Optional Engraving on bottom & key

Locks are supplied keyed different. Two keys supplied with each padlock.

Custom keying options available.



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
051359	● Black	21.08	6.35	20.60	33.50	16.75	32.00	43.30	12
051355	● Blue	21.08	6.35	20.60	33.50	16.75	32.00	43.30	12
051356	● Green	21.08	6.35	20.60	33.50	16.75	32.00	43.30	12
051358	● Grey	21.08	6.35	20.60	33.50	16.75	32.00	43.30	12
051354*	● Red	21.08	6.35	20.60	33.50	16.75	32.00	43.30	12
051357	● Yellow	21.08	6.35	20.60	33.50	16.75	32.00	43.30	12

*This product meets the ATEX Equipment Directive.

SafeKey aluminum padlocks with steel shackle

- Aluminum padlock with steel shackle provides corrosion resistance
- Non-conductive locking mechanism
- Ideal for indoor and outdoor use, and heavy-duty applications
- Not key-retaining

1 key supplied for each padlock.
Custom keying options available.



Consult the technical
datasheet LOTO-99 on
bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Clearance 38.10 mm / KA - Keyed Alike / pack of 3									
150349	● Black	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150261	● Blue	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150260	● Brown	38.10	6.35	20.32	33.05	19.05	46.00	38.00	3
150281	● Green	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150305	● Orange	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150348	● Purple	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150262	● Red	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150304	● Silver	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
150282	● Yellow	38.10	6.35	20.32	33.05	19.05	46.00	38.10	3
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 1									
150243	● Black	38.10	6.35	20.32	33.05	19.05	46.00	38.00	1
150287	● Blue	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
150286	● Brown	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
150264	● Green	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
150263	● Orange	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
150333	● Purple	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
150307	● Red	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
150242	● Silver	38.10	6.35	20.32	33.05	19.05	46.00	38.00	1
150288	● Yellow	38.10	6.35	20.32	33.05	19.05	46.00	38.10	1
Shackle Clearance 38.10 mm / KD - Keyed Differently / pack of 6									
150240	● Black	38.10	6.35	20.32	33.05	19.05	46.00	38.00	6
150302	● Blue	38.10	6.35	20.32	33.05	19.05	46.00	38.10	6
150301	● Brown	38.10	6.35	20.32	33.05	19.05	46.00	38.10	6
150256	● Green	38.10	6.35	20.32	33.05	19.05	46.00	38.00	6
150326	● Orange	38.10	6.35	20.32	33.05	19.05	46.00	38.10	6
150347	● Purple	38.10	6.35	20.32	33.05	19.05	46.00	38.10	6
150303	● Red	38.10	6.35	20.32	33.05	19.05	46.00	38.10	6
150278	● Silver	38.10	6.35	20.32	33.05	19.05	46.00	38.10	6
150219	● Yellow	38.10	6.35	20.32	33.05	19.05	46.00	38.00	6
Shackle Clearance 76.20 mm / KA - Keyed Alike / pack of 3									
150217	● Black	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150277	● Blue	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150299	● Brown	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150238	● Green	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150325	● Orange	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150300	● Purple	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150218	● Red	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150276	● Silver	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
150239	● Yellow	76.20	6.35	20.32	33.05	19.05	46.00	38.10	3
Shackle Clearance 76.20 mm / KD - Keyed Differently / pack of 1									
150331	● Black	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150241	● Blue	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150284	● Brown	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150360	● Green	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150306	● Orange	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150330	● Purple	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150332	● Red	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150283	● Silver	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
150285	● Yellow	76.20	6.35	20.32	33.05	19.05	46.00	38.10	1
Shackle Clearance 76.20 mm / KD - Keyed Differently / pack of 6									
150216	● Black	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150322	● Blue	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150235	● Brown	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150252	● Green	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150344	● Orange	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150358	● Purple	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150323	● Red	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150297	● Silver	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6
150345	● Yellow	76.20	6.35	20.32	33.05	19.05	46.00	38.10	6



Traditional Full Aluminium Padlocks

Manufactured with solid aluminum body and shackle, our padlocks are amazingly lightweight and easy to use

- Solid anodised aluminium body
- Supplied with aluminium shackle
- Hardened steel or stainless steel shackle available on request
- Corrosion resistance
- Optional Engraving on front, back, sides, bottom & key
- Lock labels sold separately. See page 38
- Non-key retaining, key retaining upon request
(Key won't release until padlock shackle is correctly closed)


Padlocks are supplied keyed different.

2 keys supplied with each lock, NOT key retaining.

Custom keying and charting is available.



Consult the technical
datasheet LOTO-10 on
bradyeurope.com/tds



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 25.40 mm									
814067	Black	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
814065	Blue	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
830939	Brown	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
814069	Green	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
830936	Grey	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
814070	Orange	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
814071	Purple	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
814066	Red	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
814068	Yellow	25.40	6.35	18.80	31.50	19.05	40.00	38.10	6
Shackle Height 38.10 mm									
814074	Black	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
814072	Blue	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
830940	Brown	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
814076	Green	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
830937	Grey	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
814077	Orange	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
814078	Purple	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
814073	Red	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
814075	Yellow	38.10	6.35	20.00	31.50	19.05	40.00	38.10	6
Shackle Height 76.20 mm									
814081	Black	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
814079	Blue	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
830941	Brown	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
814083	Green	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
830938	Grey	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
814084	Orange	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
814085	Purple	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
814080	Red	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6
814082	Yellow	76.20	6.35	20.00	31.50	19.05	40.00	38.10	6



Visit our YouTube™ channel for a
range of available training videos.



Traditional Aluminium Compact Padlocks

Lightweight and easy to use, ideal for small spaces





- Solid anodised aluminium body
- Supplied with aluminium shackle
- Corrosion resistance
- Engraving on front, back & sides

Padlocks are supplied keyed different. 1 key supplied with each lock.
Custom keying and charting is available.



The compact aluminium padlock is perfect for small space applications and where lightweight and easy to carry locks are needed. For even more durable applications, please refer to Brady's range of padlocks with 6.50 mm diameter shackles for more durability.



										
Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity	
Shackle Clearance 25 mm										
834857	● Black	25.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834856	● Blue	25.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834860	● Green	25.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834861	● Orange	25.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834858	● Red	25.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834859	● Yellow	25.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
Shackle Clearance 40 mm										
834863	● Black	40.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834862	● Blue	40.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834866	● Green	40.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834867	● Orange	40.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834864	● Red	40.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834865	● Yellow	40.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
Shackle Clearance 50 mm										
834869	● Black	50.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834868	● Blue	50.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834872	● Green	50.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834873	● Orange	50.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834870	● Red	50.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834871	● Yellow	50.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
Shackle Clearance 75 mm										
834875	● Black	75.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834874	● Blue	75.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834878	● Green	75.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834879	● Orange	75.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834876	● Red	75.00	4.75	17.00	26.00	16.00	35.25	32.00	6	
834877	● Yellow	75.00	4.75	17.00	26.00	16.00	35.25	32.00	6	



Purple, brown and silver colours available upon request for large volumes.



Consult the technical
datasheet LOTO-11 on
bradyeurope.com/tds

Laminated Steel Padlocks

Reinforced laminated steel withstands severe physical abuse
and hardened steel shackle is difficult to cut.

- Body plates individually coated for superior rust protection
- 5-pin cylinder offers more unique key cuts, better tamper-resistance than conventional 4-pin locks
- Coloured bumpers supplied for identification and protection
- Key retaining system (Key won't release until padlock shackle is closed)
- Optional Engraving on bottom & key
- Lock labels sold separately. See page 38

Padlocks are supplied keyed different. 1 key supplied with each lock.
Custom keying and charting is available.




Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
Shackle Height 20.32 mm									
814087	● Black	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814086	● Blue	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814092	● Brown	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814090	● Green	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814091	● Orange	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814093	● Purple	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814088	● Red	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814094	○ White	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
814089	● Yellow	20.32	6.35	18.50	31.20	25.40	27.94	43.18	6
Shackle Height 38.10 mm									
814096	● Black	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814095	● Blue	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814101	● Brown	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814099	● Green	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814100	● Orange	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814102	● Purple	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814097	● Red	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814103	○ White	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
814098	● Yellow	38.10	6.35	18.50	31.20	25.40	27.94	43.18	6
Shackle Height 50.80 mm									
814105	● Black	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814104	● Blue	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814110	● Brown	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814108	● Green	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814109	● Orange	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814111	● Purple	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814106	● Red	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814112	○ White	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6
814107	● Yellow	50.80	6.35	18.50	31.20	25.40	27.94	43.18	6



Ultimate Security Padlocks

- Shackle and body made of highest standard hardened alloy steel
- Abus-Plus 7 pin disk cylinder for ultimate protection against manipulation and key interchanges
- Optional Engraving on bottom & key

Padlocks are supplied keyed different. 2 keys supplied with each lock.
Custom keying and charting is available.



Order Reference	Colour	Shackle Height (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
805837	● Black	26.50	11.00	27.50	49.50	31.00	46.50	62.50	2
805838	● Black	50.00	11.00	27.50	49.50	31.00	46.50	62.50	2
805839	● Black	75.00	11.00	27.50	49.50	31.00	46.50	62.50	1

Fully insulated padlocks

Body and shackle fully insulated against electric shock

- Solid brass body
- Sealed lock body with cylinder cover to protect cylinder from dirt
- 5-pin cylinder
- Inner components made from non-corrosive materials
- Shock absorbing vinyl casing, also protects painted surfaces
- Hardened or stainless steel shackle

Locks are supplied keyed different. 2 keys supplied with each lock.

Keyed alike upon request



Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
805835	● Black	27.50	9.00	23.50	41.50	31.00	45.00	55.00	6
805836	● Blue	27.50	9.00	23.50	41.50	31.00	45.00	55.00	6

Brass Padlocks with stainless steel shackle

- Solid brass body (chrome plated) with stainless steel shackle
- Corrosion resistant
- Precision pin tumbler cylinder
- Optional Engraving on front, back, sides, bottom & key

Locks are supplied keyed different. 2 keys supplied with each lock.

Locks are not key retaining. Keyed alike upon request.

Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
805827	● Chrome	14.00	4.50	14.50	23.50	12.50	29.00	28.50	6
805828	● Chrome	21.00	6.00	19.50	32.50	13.00	32.50	40.00	6
805830	● Chrome	24.00	7.00	25.50	39.50	14.50	37.00	49.50	6



Brass Padlocks with hardened steel shackle

- All inner components are non-corrosive
- Brass body and hardened steel shackle
- Precision pin tumbler cylinder
- Optional Engraving on front, back, sides, bottom & key

Locks are supplied keyed different. 2 keys supplied with each lock.

Locks are not key retaining.

Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
805831	● Brass	14.00	4.80	14.50	23.50	12.50	29.00	28.50	6
805832	● Brass	21.00	6.00	20.50	32.50	13.00	32.50	40.00	6
805834	● Brass	24.00	7.00	25.50	39.50	14.50	37.00	49.50	6



Combination padlock

- Compact, lightweight lock
- Hardened steel shackle
- 4-digit resettable code

Order Reference	Colour	Shackle Clearance (mm)	Shackle Diameter (mm)	Shackle Clearance (mm)	Shackle Width (mm)	Depth (mm)	Height (mm)	Width (mm)	Quantity
101963	● Silver, Black	26.00	6.50	19.50	32.50	18.50	47.50	44.50	1

